



检测报告

No.IOB1RBZF85372955

委托单位 仙桃绿色东方环保发电有限公司

受测单位 仙桃绿色东方环保发电有限公司

报告日期 2020年08月11日

本单位不承担任何经济和法律責任。

This report is only responsible for the provided sample. The test results only represent the evaluation of the tested sample. PONY will not be responsible for any economical or legal liability generated from direct or indirect usage of the test report.

8. 本单位有权在完成报告后按规定方式处理所测样品。

PONY has the right to dispose the tested sample by rules, after approval of the test report.

9. 本单位保证工作的客观公正性,对委托单位的商业信息、技术文件等商业秘密履行保密义务。

PONY assures objectivity and impartiality of the test, and fulfills the obligation of confidentiality for applicant's commercial information, and technique document.

10. 本报告私自转让、盗用、冒用、涂改、未经本单位批准的复制(全文复制除外)或以其它任何形式的篡改均属无效,本单位将对上述行为严究其相应的法律責任。

The report is invalid in case of illegal transfer, embezzlement, imposture, modification or any altering, reproducing except in full, without approval of PONY. PONY shall investigate and affix the applicant's legal liability accordingly.

▲ 防伪说明(Anti-counterfeiting Description):

(1) 报告编号是唯一的;

The test report has exclusive report code.

(2) 报告采用特制防伪纸张印制,纸张表面带有"PONY"防伪纹路,该防伪纹路不支持复印,即复制件不会带有"PONY"防伪纹路。

The test report is printed by anti-copying paper whose surface shows "PONY" security print with specific anticounterfeiting technique. Security print will disappear after copying. Duplicates are not expected to give "PONY" security print under any circumstances.



全国服务热线

400-819-5688

WWW.PONYTEST.COM

扫描二维码

关注谱尼测试微信

公众号 PONY4008195688



北京实验室: (010) 83055000	武汉实验室: (027) 83997127	哈尔滨实验室: (0451) 58627755
上海实验室: (021) 64851999	长春实验室: (0431) 85150908	石家庄实验室: (0311) 85376660
青岛实验室: (0532) 88706866	大连实验室: (0411) 87336618	乌鲁木齐实验室: (0991) 6684186
深圳实验室: (0755) 26050909	郑州实验室: (0371) 69350670	呼和浩特实验室: (0471) 3450025
天津实验室: (022) 23607888	西安实验室: (029) 89608785	杭州实验室: (0571) 85806807
苏州实验室: (0512) 62997900	太原实验室: (0351) 7555762	宁波实验室: (0574) 87977185
		温州实验室: (0577) 88271060
		合肥实验室: (0551) 63843474
		广州实验室: (020) 89224310
		厦门实验室: (0592) 5568048
		成都实验室: (028) 87702708

检测地址: 江苏省苏州市工业园区金芳路8号

检测地址: 江苏省苏州市工业园区金芳路8号

检测地址: 江苏省苏州市工业园区金芳路8号

检测地址: 江苏省苏州市工业园区金芳路8号

检测地址: 江苏省苏州市工业园区金芳路8号

检测地址: 江苏省苏州市工业园区金芳路8号

检测地址: 江苏省苏州市工业园区金芳路8号


检测地址: 江苏省苏州市工业园区金芳路8号

检测地址: 江苏省苏州市工业园区金芳路8号

检测地址: 江苏省苏州市工业园区金芳路8号

检测地址: 江苏省苏州市工业园区金芳路8号

检测地址: 江苏省苏州市工业园区金芳路8号



审核人

审核人

批准人

批准人

签发日期

2020年08月11日

© Hotline 400-819-5688

www.ponytest.com

PONY-SZHBG062-119-2018A

谱尼测试集团江苏有限公司

公司地址: 江苏省苏州市工业园区金芳路8号

检测地址: 江苏省苏州市工业园区金芳路8号

电话: 0512-62997900

传真: 0512-68021475

检测结果

No. IOB1RBZF85372955

第 2 页, 共 2 页

样品编号及名称	检测项目	限值	检测结果
F85372955 1 号炉炉渣	热灼减率, %	≤5	3.2

——以下空白——

