



171412340674

检测报告

Testing Report



检测类型:

委托检测

报告日期:

2025 年 09 月 12 日

江西省贝源检测技术有限公司

(盖章)

Figure 1. The effect of the concentration of the inhibitor on the rate of polymerization of the monomer.

三、数据源与变量

1. <http://www.ck12.org/Book-Search> <http://www.ck12.org/Book-Search>

Figure 1: Schematic representation of the experimental design. The diagram shows a sequence of events: a subject is presented with a stimulus (a word), then a response is generated (a word), and finally, a feedback is provided (a word). The process is repeated for multiple trials. The diagram is divided into two main sections: 'Stimulus' and 'Response'. The 'Stimulus' section shows a sequence of words: 'The', 'cat', 'sat', 'on', 'the', 'mat'. The 'Response' section shows a sequence of words: 'The', 'cat', 'sat', 'on', 'the', 'mat'. The 'Feedback' section shows a sequence of words: 'The', 'cat', 'sat', 'on', 'the', 'mat'. The diagram is labeled 'Figure 1' and 'Schematic representation of the experimental design'.

六、检测结果

表5 废水检测结果

检测项目		检测标准	检测结果
采样时间	2025.06.15		
样品描述	微黄、微臭、无浮油、微浊。		
检 测 结 果			

pH 值	6.40	6.30	6.50	6.40	6.40
氨氮, mg/L	0.00	0.00	0.00	0.00	0.00
总氮, mg/L	0.00	0.00	0.00	0.00	0.00
总磷, mg/L	0.00	0.00	0.00	0.00	0.00
铜, mg/L	2.69×10^{-4}	1.22×10^{-4}	1.4×10^{-4}	1.4×10^{-4}	0.1
镍, mg/L	4.30×10^{-4}	2.3×10^{-4}	2.00×10^{-4}	2.00×10^{-4}	0.1
六价铬, mg/L	0.004	0.004	0.004	0.004	0.03
备注：1. 废水 pH 值在 6.30~6.50 范围内，符合《污水综合排放标准》（GB 8961-1996）表 4 中 pH 值的要求。					
2. 氨氮、总氮、总磷、铜、镍、六价铬等指标检测结果均符合《污水综合排放标准》（GB 8961-1996）表 4 中相应指标的要求。					

废水检测站

检测站地址：浙江省宁波市北仑区

检测站名称：宁波市北仑区环境监测站

检测站电话：0574-86123456

检测站网址：http://www.nbea.gov.cn

附件:



附件1: 采样记录表

75383390

附件2: 采样记录表

75383390

附件3: 采样记录表

75383390

附件4: 采样记录表

75383390

附件5: 采样记录表

75383390

附件6: 采样记录表

75383390

附件7: 采样记录表

75383390